Contents

6 Deck-Mounted Skylights

VSS Solar-Powered VSE Electric-Powered VS Manual FS Fixed

8 Curb-Mounted Skylights

VCS Solar-Powered VCE Electric-Powered VCM Manual FCM Fixed

10 Flat Roof Skylights

GSM Fixed SkyMax FXG Fixed Double Dome with Acrylic CFU Fixed Base Unit with ISU CurveTech Cover CXP Hatch with Polycarbonate Dome Top Cover

12 Self-Flashed Skylights

EVMS Solar-Powered EV Manual EF Fixed QPF Fixed

14 Skylight Shades

Solar-Powered Skylight Shades Manual Roof Window Shades

16 Roof Windows

GPU Top-Hinged GGU Center-Pivot GXU Roof-Access GDL Balcony

18 Sun Tunnel® Skylights

TGR / TGF Low-Profile Dome TMR / TMF Pitched Dome TCR Curb-Mount Dome TLR Low-Profile Glass TZRQ Pan-Flashed Glass TZR / TZRL Curb-Mount Glass

20 Architectural Skylights

Custom Structural VMS Modular

22 Flashing Systems

Deck-Mount Curb-Mount

НОМ

Pre-Attached Seal Pre-attached deck seal (deck-mounted) or gasket (curbmounted) provides a tight seal for leak-proof installation.

Adhesive Underlayment Adhesive underlayment for secondary water protection against the harshest weather conditions.

Engineered Flashing En

Deck-Mounted Skylights


Explore our wide range of classic deck-mounted skylights, including solar, electric, and manual versions. As part of our No Leak skylights, these deck-mounted units stand tough against the elements without compromising on bringing

f-Flas ed Sk

The bo and wa ma UX product line of self-flashe eck- and curb-mounted sky shing are built into the st ght seal. These skylic e i als like asphal flast al fht

flashe could lights differ from skyle couse their curb it and come with a e ideal for thin roofing al fhts ready t iinstallfing

ght



E-Class Custom Sizes:

EVMS/EV sizing:

• Up to 15 sq ft


• Min RO: 22



• Specially designed to convert

FNFRGY STA

Code Compliance



XUS 20183-0123 $\bullet \otimes$ 2023 VELUX Group \bullet VELUX®, VELUX logo are reg